

P600 **ALL-IN-ONE** **DIGITAL PODIUM**

Helps the presenter do everything from one place while facing the class. Write, teach, control accessories and everything, without needing to move. A must have for large classrooms and conferences.



Digital podium offers lockable console with Multimedia controller, Power management, motorized tilted 22-inch Capacitive touch /

EMR touch display, Gooseneck mic, wireless mic, wired or wireless keyboard, Visualizer, Amplifier- Speaker, wireless mic with handheld mic and lapel mic, external output port, 19-inch Rack for Pc and other Av hardware.

TECHNICAL DATASHEET

FEATURE	SPECIFICATIONS
CHASSIS	
Type of Chassis / Frame	Metallic
Mount Type	Floor Mounted With Wheels
Material of Chassis	Mild Steel
Thickness of Enclosure (mm)	1.5 mm (Min) Stainless Steel Sheet
Screwless Chasis	Yes
Adequate Space For Additional Devices	Yes
Drawers / Cabinets	Yes
If yes, Lockable	Yes
DISPLAY	
Screen Size	21.5"
Maximum Resolution	(Full HD) 1920 x 1080@60 HZ
Aspect Ratio	16.9
Response Time	8 ms
Colour Supported	16.7 Million
Brightness	250 cd / M2
Backlight	LED
Viewing Angles	178 Horizontal 178 Vertical
Panel Type	VA (Vertical Alignment)
Stand	Tilt (10 ~ 90)
Speakers	2 x 1 W
Ports & Connector	VGA HDMI R - IN 1xUSB 2.0 up Stream 2xUSB 2.0 Down Stream



TECHNICAL DATASHEET

FEATURE	SPECIFICATIONS
SYSTEM DETAIL	
Processor Make	Intel
Processor Series	Intel Core i3,i5,i7
Processor Configuration	Generation 6/7/8/9/10/11/12
Operating System (pre-Loaded)	Windows 10
Antivirus With One Year Liscense	Available
RAM Memory (GB)	4
Storage / HDD (GB)	1024
Built- In Standard Keyboard	Available
Built- In Mouse	Available
BUILT IN DEVICE	
Optical Disk Drive Compatibility	Yes
Inbuilt Speakers	Available
Numbers of Speakers	2
Wattage of Each Speaker (Watt)	50
Central Control Panel	Available
Gooseneck Mic	1
Wireless Mic	1
Handheld Mic	1
Wireless Reciever	1
Amplifier	Available
Amplifier Wattage (Watt)	50



TECHNICAL DATASHEET

FEATURE	SPECIFICATIONS
CONSOLE PORTS	
USB 2	2
USB 3	0
VGA Ports	1
HDMI Ports	1
Viedo Pin	1
RJ 45	1
Power Backup Min 30 Minutes	UPS Supplied
Cooling System	Available
COMMON INFORMATION	
Maximum Power Consumption (watt)	120
Operating Temperature Range (Degree C)	May -45
Operating Humidity (RH) (%)	40 Deg at 90% RH non condensing
Storage Humidity (RH) (%)	85
Overall Dimension (cm x cm x cm)	730, 670, 1260
Weight (Kg)	95
On Site OEM Warranty In Years	3
Storage Temperature (Degree C)	-10 to 55



TECHNICAL DATASHEET

MULTIMEDIA CONTROLLER DESIGN

FEATURE	SPECIFICATIONS
COMPUTER CONNECTIVITY	
Connectivity Type (Wired)	
1 x VGA , 2 x USB , 1 x HDMI	
Connectable To Audio or Video Podiums / Lecterns	



Back View

Front View

